



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/898,290	07/03/2001	James Francis Blake	PC10718A	2213

23913 7590 07/10/2003

PFIZER INC
150 EAST 42ND STREET
5TH FLOOR - STOP 49
NEW YORK, NY 10017-5612

EXAMINER

WACHSMAN, HAL D

ART UNIT	PAPER NUMBER
----------	--------------

2857

DATE MAILED: 07/10/2003

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

Aa

09/898 290

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

ART UNIT	PAPER
----------	-------

5

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Hal D Wachsman
Primary Examiner
Art Unit: 2857

Art Unit: 2857

1. The reply filed on 6-6-03 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s):

a) As was already cited in paragraph 1.a) of the prior Office Action, the Examiner objects to the figure because there is no figure numbering on the figure (i.e. "Figure 1"). In addition, the drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the method for segregating compounds by ionization polarity (i.e. such as in a flow chart) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

The Applicant's remarks on page 7 cite "As required for allowance, the formal matters of figure numbering and a second Figure of a flow chart have been added to both the drawings and the text of the specification". However, no proposed correction or substitute drawing incorporating the correction to the figure of record and no second figure has been found with the reply in the application. In addition, the Applicant's amendment to paragraph 0025 of the specification states "As shown in Figure,..." but does not state a figure number. Appropriate correction is required.

b) Legal phraseology (see paragraph 1.b) of the prior Office Action) can still be found in the Abstract (for example, "said compounds", "said compound"). Appropriate correction is required.


Art Unit: 2857

2. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hal D Wachsman whose telephone number is 703-305-9788. The examiner can normally be reached on Monday to Friday 7:00 A.M. to 4:30 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marc Hoff can be reached on 703-308-1677. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-7722 for regular communications and 703-308-7722 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.


Hal D Wachsman
Primary Examiner
Art Unit 2857

HW
July 1, 2003